



PRODUCT DATA SHEET

Product: Anti-VPARP, clone 193-6

Cat. No: MC-229 (1 mL)

Background:

VPARP is an antibody to the minor vault protein. It reacts with internal epitope Amino Acids 593-599, FSKVEDY, of the minor vault protein.

Specificity:

This clone (P193-6) reacts with an internal epitope (amino acids 593-599, FSKVEDY) or the minor vault protein (VPARP), which is over-expressed in various human non-P-glycoprotein MDR tumor lines, accordingly to an increase in the number of vault particles.

Ig Isotype:

Murine IgG_{2b} kappa

Immunogen:

Clone p193-6 was raised against an E. coli lysate transformed with the pET28a(+) expression vector containing amino acids 408-611 of the p193 cDNA.

Format:

1 mL antibody solution containing approximately 250ug of immunoglobulin per mL. The solution contains 1% BSA and 0.1% sodium azide.

Storage and Stability:

Store at 4°C for short term. Aliquot and store at -20°C for long term. Avoid repeated freeze/thaw cycles.

Applications and Suggested Dilutions:

- Western blotting: (preferably with ECL) Use and a dilution of 1:10 to 20.
- Immunohistochemistry: Use at a dilution of 1:10-20 for staining of paraformaldehyde (4%) fixed cytopsin preparations and frozen tissue sections. The following pretreatment is recommended: 10 min with 20 mM glycine in PBS (pH 7.5) and 10 min. with 6 N guanidine hydrochloride in 50 mM Tris-HCL (pH 7.5)¹. Optimal conditions for paraffin-embedded tissues have yet to be defined.
- Flow Cytometry: Optimal conditions have yet to be defined.

The optimal dilution for a specific application should be determined by the researcher.

Limitations:

For *in vitro* research use only. Not for use in diagnostics or in humans.

Warranty:

No warranties, expressed or implied, are made regarding the use of this product. KAMIYA BIOMEDICAL COMPANY is not liable for any damage, personal injury, or economic loss caused by this product.